

## Certificate of Analysis # 2026-359/EXT/HPLC

**Informations provided by the client**

Sample Name: FROZEN L:FINOLA 1174100343225 B28613202200001  
Matrix: Plant Material  
Product: Resin

**Laboratory Information**

Acceptance Date: 27/01/2026  
Test Start Date: 27/01/2026  
Sampling: Sample delivered by the customer  
Sample ID: H270126352/EXT

Compound	Result	UM	LOQ	Result (mg/g)	Measurement uncertain
CBDV	< LOQ	%(m/m)	0,02	< LOQ	
CBDA	< LOQ	%(m/m)	0,033	< LOQ	
CBGA	< LOQ	%(m/m)	0,035	< LOQ	
CBG	< LOQ	%(m/m)	0,018	< LOQ	
CBD	47,78	%(m/m)	0,015	477,8	
THCV	< LOQ	%(m/m)	0,02	< LOQ	
CBN	< LOQ	%(m/m)	0,02	< LOQ	
d9-THC	< LOQ	%(m/m)	0,028	< LOQ	
CBC	< LOQ	%(m/m)	0,017	< LOQ	
THCA	< LOQ	%(m/m)	0,02	< LOQ	
<b>TOTAL CBD</b>	<b>47,78</b>	<b>%(m/m)</b>	<b>0,02</b>	<b>477,8</b>	
<b>TOTAL CBG</b>	<b>&lt; LOQ</b>	<b>%(m/m)</b>	<b>0,02</b>	<b>&lt; LOQ</b>	
<b>TOTAL THC</b>	<b>&lt; LOQ</b>	<b>%(m/m)</b>	<b>0,02</b>	<b>&lt; LOQ</b>	
<b>TOTAL MOISTURE</b>	<b>4,99</b>	<b>%</b>	<b>0,05</b>	<b>49,9</b>	

%(m/m) = (Mass of the analyte/Mass of the product as it is)  
NR Not Detected  
LOD Limit of detection  
LOQ Limit of quantification  
<LOQ Below the limit of quantification

IST01 REV03 2022 (HPLC)  
IST16 REV02 2022 (Termogravimetria)

I cannabinoidi totali vengono calcolati utilizzando le seguenti formule per calcolare la perdita del gruppo carbossilico durante la decarbossilazione  
THC TOTALE = THC + (THCA \* 0,877)  
CBD TOTALE = CBD + (CBDA \* 0,877)  
CBG TOTALE = CBG + (CBGA \* 0,877)



End of Test Report # Certificate of Analysis # 2026-359/EXT/HPLC

Test end date: 28/01/2026  
Issuing date: 29/01/2026

Firmato da:  
De Rossi Davide  
Responsabile del Laboratorio



The results reported in the Test Report refer only to the sample actually tested, as received. The Laboratory declines all responsibility for the methods of carrying out sampling, transport and storage of the samples until delivery, if carried out by the customer. The Laboratory assumes responsibility for the information and data contained in the test report, with the exclusion of what is declared by the customer. This CoA can only be reproduced in complete form: if not complete, it is allowed only after written authorization from the Laboratory Manager. Copies of this Test Report and related documents are kept for 4 years. The laboratory declines responsibility for any information provided by the customer that may affect the validity of the results. Test Report digitally signed and compliant pursuant to art. 23 Legislative Decree 7 March 2005 No. 82 CAD and subsequent amendments and additions.